

Silicone Remover Spray *N*

Silicone remover

:: CHARACTERISTICS



The broad jet atomizer guarantees a constant atomisation pressure and a finest aerosol distribution until the aerosol is completely empty. The Silicone Remover Spray is easy applicable and contains mild, non-aggressive solvents. It removes silicone, grease, oil, wax, dirt, tar and grime.

:: APPLICATION

Cleaning agent for all works in parts refinishing and spot repair prior to coating. Suitable for filled and primed surfaces, metal, plastics, glas, old paint coats, coated and uncoated surfaces.

:: PRODUCT DATA

MATERIAL DATA:

Specific weight: 0,71 g/l
 VOC value: 620 g/l - 248 g/aerosol
 Shelf-life at 20°C: min 2 years in closed original container
 Colour: clear
 Efficiency: 10 - 15 ml/m²


:: HANDLING

Substrate




Filled and Primed areas
Metal, plastics, glass
old paint coats
coated and uncoated surfaces

Spray passes:



1 light spray pass. Wipe off again with a clean, dry cloth, allow cleaned area to dry well. Repeat process if required.


Finish:



When work is finished, reverse aerosol and spray valve empty.

Disposal: The emptied aerosols are suitable for household collection.

Storage:



The description of the shelf life refers to an unused can being stored appropriately at a temperature of 15 to 25 °C and a relative humidity beneath 60%. Keep the can dry. It should be stored and transported uprightly being protected from chemical and mechanical impacts. The safety instructions on the label and all legal regulations concerning the storage location have to be observed.

Remarks:



Personal protection is required:
Respirator mask type: A2/P2
Protective gloves, e.g. from latex or nitrile.

For professional use only.



:: SAFETY

The before mentioned technical data and information, especially the recommendations for applying and using our products, are based on our current knowledge and experience when applied under normal conditions. In practice, the materials, surfaces or site conditions are so different that no warranty regarding the working results or liability, arising out of any relationship, can be inferred neither from this information nor from a verbal consultation, except we are charged with intent or gross negligence. In this case the user is obliged to prove that he has informed us about all points required for a proper and promising judgement in writing, in time and completely. Patent rights of any third party are to be observed. Furthermore, our general sales and delivery Terms and Conditions and the latest Technical Data Sheet, which should be demanded, apply.

Directions for handling and waste disposal are in our Material Safety Data Sheet and the specifications of the Employers Liability Insurance Association for the chemical industry.